

BOWL-18523-W-01	Alkalinity	745	mg/L
BOWL-18523-W-01	Ammonia	0.209	mg/L
BOWL-18523-W-01	F	3.54	mg/L
BOWL-18523-W-01	Cl	49.2	mg/L
BOWL-18523-W-01	Br	0.34	mg/L
BOWL-18523-W-01	SO4	4.15	mg/L
BOWL-18523-W-01	NO3+NO2	<0.05	mg/L
BOWL-18523-W-01	OP	<0.020	mg/L
BOWL-18523-W-01	pH	8.31	None
BOWL-18523-W-01	Specific Conductance	1470	uS/cm
BOWL-18523-W-01	TDS	907	mg/L
BOWL-18523-W-01	Temp	7.9	°C
BOWL-18523-W-01	TSS	<2.00	mg/L
BOWL-18523-W-01	Turbidity	0.83	NTU
BOWL-18523-W-01	TN mg/L	0.26	mg/L
BOWL-18523-W-01	TKN	0.26	mg/L
BOWL-18523-W-01	TP	<0.02	mg/L
BOWL-18523-W-01	DOC	<1.00	mg/L
BOWL-18523-W-01	Sb	<2.00	ug/L
BOWL-18523-W-01	As	<1.00	ug/L
BOWL-18523-W-01	Ba	4.61	ug/L
BOWL-18523-W-01	Be	<1.00	ug/L
BOWL-18523-W-01	Cd	<0.300	ug/L
BOWL-18523-W-01	Cr	<1.00	ug/L
BOWL-18523-W-01	Co	<0.100	ug/L
BOWL-18523-W-01	Cu	<0.500	ug/L
BOWL-18523-W-01	Pb	<0.500	ug/L
BOWL-18523-W-01	Ni	<0.500	ug/L
BOWL-18523-W-01	Se	<5.00	ug/L
BOWL-18523-W-01	Ag	<0.100	ug/L
BOWL-18523-W-01	Tl	<0.500	ug/L
BOWL-18523-W-01	V	<0.200	ug/L
BOWL-18523-W-01	Zn	<5.00	ug/L
BOWL-18523-W-01	Al	<0.100	mg/L
BOWL-18523-W-01	Ca	13.1	mg/L
BOWL-18523-W-01	Fe	<0.100	mg/L
BOWL-18523-W-01	Mg	2.65	mg/L
BOWL-18523-W-01	Mn	<0.0200	mg/L
BOWL-18523-W-01	K	4.27	mg/L
BOWL-18523-W-01	Na	344	mg/L
BOWL-18523-W-01	P	<1.00	mg/L
BOWL-18523-W-01	Hardness	43.7	mg/L
BOWL-18523-W-01	Sb	<2.00	ug/L
BOWL-18523-W-01	As	<1.00	ug/L
BOWL-18523-W-01	Ba	4.64	ug/L
BOWL-18523-W-01	Be	<1.00	ug/L

BOWL-18523-W-01	Cd	<0.300	ug/L
BOWL-18523-W-01	Cr	<1.00	ug/L
BOWL-18523-W-01	Co	<0.100	ug/L
BOWL-18523-W-01	Cu	3.55	ug/L
BOWL-18523-W-01	Pb	<0.500	ug/L
BOWL-18523-W-01	Ni	<0.500	ug/L
BOWL-18523-W-01	Se	<5.00	ug/L
BOWL-18523-W-01	Ag	<0.100	ug/L
BOWL-18523-W-01	Tl	<0.500	ug/L
BOWL-18523-W-01	V	<0.200	ug/L
BOWL-18523-W-01	Zn	<5.00	ug/L
BOWL-18523-W-01	Al	<0.100	mg/L
BOWL-18523-W-01	Ca	13.6	mg/L
BOWL-18523-W-01	Fe	<0.100	mg/L
BOWL-18523-W-01	Mg	2.78	mg/L
BOWL-18523-W-01	Mn	<0.0200	mg/L
BOWL-18523-W-01	K	4.45	mg/L
BOWL-18523-W-01	Na	358	mg/L
BOWL-18523-W-01	P	<1.00	mg/L